

PATENT
Attv. Dkt AMAT/6346/PPC/ECP/RKK

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Gandikota, et al.

Serial No.: 10/085,822

Confirmation No.: 2395

Filed: February 27, 2002

**For: Method To Reduce The
Depletion Of Organics In
Electroplating Baths**

மா

Group Art Unit: 1775

Examiner: Robert R. Koehler

RECEIVED
CENTRAL FAX CENTER

SEP 29 2004

BEST AVAILABLE COPY

MAIL STOP ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**CERTIFICATE OF FACSIMILE
TRANSMISSION UNDER 37 CFR 1.8**

I hereby certify that this correspondence and the documents referred to as attached therein are being facsimile transmitted to the U.S. Patent and Trademark Office to the fax number indicated by the Examiner, namely, fax number 703/872-8306 to the attention of the named Examiner, on the date below.

9/29/04
Date

Signature Kent R. Zuber

AMENDMENT AFTER ALLOWANCE

Following mailing of a Notice of Allowance on August 23, 2004, Applicants request entry of the following amendments to correct clarity and grammar. Claim amendments begin on page 2. Remarks begin on page 9.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.